PRODUCT CATALOG
SENTEY 2013

SENTEY®

CASES

GAMING SERIES

BURTON GS-6500

Sentey BURTON has an advance system ventilation developed to provide extreme cooling performance. Includes 6 Fan Coolers: 3 fan to ensure proper airflow from outside to inside and three responsible for removing the hot air produced by the different system components.

FULL GAMING
ENTHUSIAST
STYLISH

- TOP PORTS -

SATA NATIVE & POWER	USB 2.0 4 PORTS	8 EN 1 CARD READER	E-SATA PORT
ACTIVATE BUTTON FAN	6 FAN COOLERS	5 REMOVABLE HDD BAYS	MESH DESIGN

AVAILABLE IN: GS-6500B   GS-6500B   GS-6500W   GS-6500

520mm / 20.47"
214mm / 8.42"
550mm / 21.65"

BURTON PLUS GS-6510

Sentey BURTON has an advance system ventilation developed to provide extreme cooling performance.
Includes 6 Fan Coolers: 3 fan to ensure proper airflow from outside to inside and three responsible for removing the hot air produced by the different system components.

FULL GAMING
ENTHUSIAST
STYLISH

- TOP PORTS -

SATA NATIVE & POWER	USB 2.0 4 PORTS	8 EN 1 CARD READER	E-SATA PORT
ACTIVATE BUTTON FAN	6 FAN COOLERS	REMOVABLE HDD BAYS	SIDE PANEL CRYSTAL MESH

CRYSTAL MESH   PUERTO USB 3.0
USB3.0

520mm / 20.47"
214mm / 8.42"
550mm / 21.65"

COMMON FEATURES BURTON, BURTON PLUS, PLUS ARVINA And ARVINA:

HOLDING UP DISK HDD / SSD   PLASTIC BRACKETS FOR ODD   LOCKS FOR VIDEO CARDS

SENTEY®

ARVINA GS-6400

State-of-the-art ventilation system: SENTEY ARVINA has been developed to provide an extreme cooling performance. It features six Fan Coolers –three of them are to ensure proper air flow inwards, while the remaining three are to remove the hot air produced by different components of the system.

- TOP PORTS -

FULL GAMING
ENTHUSIAST
STYLISH

SATA NATIVE & POWER	USB 2.0 4 PORTS	8 EN 1 CARD READER	E-SATA PORT
ACTIVATE BUTTON FAN	6 FAN COOLERS	5 REMOVABLE HDD BAYS	

AVAILABLE IN: GS-6400B GS-6400B GS-6400W GS-6400

520mm / 20.47"

214mm / 8.42"

550mm / 21.65"

ARVINA PLUS GS-6410

State of the art ventilation system: SENTEY ARVINA PLUS has been developed to provide an extreme cooling performance. Adding to the versatility of the front port for connecting USB 3.0 full speed and Peripherals last generation with six Fan Coolers –three of them are to ensure proper air flow inwards, while the remaining three are to remove the hot air produced by different components of the system.

- TOP PORTS -

FULL GAMING
ENTHUSIAST
STYLISH

SATA NATIVE & POWER	USB 2.0 4 PORTS	8 EN 1 CARD READER	E-SATA PORT
ACTIVATE BUTTON FAN	6 FAN COOLERS	5 REMOVABLE HDD BAYS	SIDE PANEL CRYSTAL MESH

CRYSTAL MESH   PUERTO USB 3.0
USB 3.0

520mm / 20.47"

214mm / 8.42"

550mm / 21.65"

GAMING SERIES

SENTEY®

WOLF GS-6600

This High-Tower case has a robust design being ready to house the most sophisticated hardware available on the market. Its imposing external look is complimented by a large internal space and a professional cooling system including 6 fan coolers.

- TOP PORTS -

FULL GAMING
ENTHUSIAST
STYLISH

HD AUDIO & POWER

USB 3.0 2 PORTS

MESH DESIGN

WATERCOOLING READY

REMOVABLE DUST FILTER

6 FAN COOLERS

5 REMOVABLE HDD BAYS

PUERTO USB 3.0
USB3.0

520mm / 20.47"
214mm / 8.42"
550mm / 21.65"

SPIDER GS-6700

Sentey SPIDER has an advance system ventilation developed to provide extreme cooling performance. Includes 5 Fan Coolers: 3 fan to ensure proper airflow from outside to inside and three responsible for removing the hot air produced by the different system components.

- TOP PORTS -

FULL GAMING
ENTHUSIAST
STYLISH

USB 3.0 2 PORTS

FAN CONTROL

8 EN 1 CARD READER

5 FAN COOLERS

5 REMOVABLE HDD BAYS

DISPLAY THERMOMETER

PUERTO USB 3.0
USB3.0

520mm / 20.47"
214mm / 8.42"
550mm / 21.65"

COMMON FEATURES FOR WOLF AND SPIDER:

HOLDING UP DISK HDD / SSD

PLASTIC BRACKETS FOR ODD

LOCKS FOR VIDEO CARDS

SENTEY®

HALCON GS-6050

Has a sober aesthetics and functional design for gamers and enthusiasts. Includes a total of 5 Fan Coolers Ultra Silent ffering exceptional thermal performance. Airflow, power and performance are the main qualities. . It is available in two versions: standard and with transparent side panel.

- TOP PORTS -

FULL GAMING
ENTHUSIAST
STYLISH

USB 2.0 4 PORTS

HD AUDIO & POWER

WATERCOOLING READY

HDD BOX / HDD BOX
REMOVABLE HDD BAYS

5 FAN COOLERS

REMOVABLE DUST FILTER

465mm / 18.30"
190mm / 7.48"
550mm / 21.65"

270mm VGA Clearance

HALCON II GS - 6 0 5 0 II

This mid- tower case brings an innovating design with mesh front panel, manufactured with rolled steel, black interior and exterior, and the internal structure offers maximum performance and management. Adding to the versatility of the front port for connecting USB 3.0 full speed and Peripherals last generation with 7 coolers including achieve optimal internal temperature in the case.

- TOP PORTS -

FULL GAMING
ENTHUSIAST
STYLISH

USB 3.0

HD AUDIO

WATERCOOLING READY

SIDE PANEL CRYSTAL MESH

HDD BOX / HDD BOX
REMOVABLE HDD BAYS

6 FAN COOLERS

REMOVABLE DUST FILTER

CRYSTAL MESH   PUERTO USB 3.0
USB 3.0

465mm / 18.30"
190mm / 7.48"
550mm / 21.65"

270mm VGA Clearance

COMMON FEATURES FOR HALCON AND HALCON II:

HDD TRAYS ALUMINUM

PLASTIC BRACKET

VGA LOCKS

SENTEY®

OPTIMUS GS - 6000

The new case of Sentey OPTIMUS is prepared to provide the highest performance with a ventilation system of 4 fan coolers, achieving a constant airflow in order to maintain an ideal temperature. Adding to the versatility is the aluminum removable hard drive trays, with an internal structure painted completely black.

FULL GAMING
ENTHUSIAST
STYLISH

- TOP PORTS -

CARD READER SD/MMC	USB 2.0 2 PORTS	HD AUDIO	WATERCOOLING READY
REMOVABLE HDD BAYS	4 FAN COOLERS	FAN CONTROL	REMOVABLE DUST FILTER

AVAILABLE IN: ○ GS-6000   ● GS-6000R

465mm / 18.30"
190mm / 7.48"
485mm / 19.09"

OPTIMUS II GS - 6000

This mid-tower case has an innovative design with the front and top mesh panel, made of rolled steel materials, interior and exterior with black sandy termination. Adding to the versatility of the front port for connecting USB 3.0 full speed and Peripherals last generation with 3 coolers including achieve optimal internal temperature in the case.

FULL GAMING
ENTHUSIAST
STYLISH

- TOP PORTS -

CARD READER SD/MMC	USB 3.0	HD AUDIO	WATERCOOLING READY
REMOVABLE HDD BAYS	2 FAN COOLERS	FAN CONTROL	SIDE PANEL CRYSTAL MESH

CRYSTAL MESH   PUERTO USB 3.0
USB 3.0

465mm / 18.30"
190mm / 7.48"
485mm / 19.09"

COMMON FEATURES FOR OPTIMUS, OPTIMUS II, ABADDOM AND ABADDOM II

HDD TRAYS ALUMINUM   PLASTIC BRACKET   VGA LOCKS

SENTEY®

ABADDOM GS - 6 0 7 0

This mid-tower case brings an innovating design, manufactured with rolled steel, black interior and exterior, and the internal structure offers maximum performance and management. It is available in two versions: standard and with transparent side panel.

- TOP PORTS -

FULL GAMING
ENTHUSIAST
STYLISH

USB 2.0 4 PORTS

HD AUDIO

DOBLE FAN CONTROL

4 FAN COOLERS

REMOVABLE HDD BAYS

REMOVABLE DUST FILTER

465mm / 18.30"

190mm / 7.48"

485mm / 19.09"

ABADDOM II GS - 6 0 7 0

This mid- tower case brings an innovating design with mesh front panel, manufactured with rolled steel, black interior and exterior, and the internal structure offers maximum performance and management. Adding to the versatility of the front port for connecting USB 3.0 full speed and Peripherals last generation with 7 coolers including achieve optimal internal temperature in the case.

- TOP PORTS -

FULL GAMING
ENTHUSIAST
STYLISH

USB 3.0

HD AUDIO

WATERCOOLING READY

6 FAN COOLERS

DOBLE FAN CONTROL

REMOVABLE HDD BAYS

CRYSTAL MESH | PUERTO USB 3.0

USB 3.0

465mm / 18.30"

190mm / 7.48"

485mm / 19.09"

G A M I N G   S E R I E S

SENTEY®

GHOST PLUS GS-6060

This mid- tower case brings an innovating design with meshed front and top panel, manufactured with rolled steel, black interior and exterior, and the internal structure offers maximum performance and management.
Adding to the versatility of the USB 3.0 front port for connecting peripherals at full speed last generation.

- TOP PORTS -

FULL GAMING
ENTHUSIAST
STYLISH

REMOVABLE DUST FILTER **USB 3.0** **HD AUDIO**

3 FAN COOLERS **REMOVABLE HDD BAYS** **DOBLE FAN CONTROL**

PUERTO USB 3.0
USB 3.0

465mm / 18.30"

190mm / 7.48"   485mm / 19.09"

PANTHER GS-6015

This mid-tower case has an innovative design with the front and top mesh panel, made of rolled steel materials, interior and exterior with black sandy termination. Adding to the versatility of the top panel with four USB ports and removables dust filters achieve an excellent for clean air flow system.

- TOP PORTS -

FULL GAMING
ENTHUSIAST
STYLISH

USB 2.0 4 PORTS **HD AUDIO** **BLACK** **SANDY BLACK PAINTING**

120mm FAN COOLER **HANDY SCREW** **MESH DESIGN**

440mm / 17.32"

180mm / 7.08"   465mm / 18.30"

FEATURES FOR PANTHER

PLASTIC BRACKET

SENTEY®

EAGLE GS - 6 0 2 0

This mid- tower case bring an innovating design, manufactured with rolled steel, black interior and exterior, and the internal structure offers maximum performance and management.

FULL GAMING
ENTHUSIAST
STYLISH

- FRONT PORTS -

USB 2.0 2 PORTS

HD AUDIO

120mm FAN COOLER

REMOVABLE HDD BAYS

MESH DESIGN

HANDY SCREW

465mm / 18.30"

270mm VGA Clearance

190mm / 7.48"

485mm / 19.09"

EAGLE PLUS GS-6 0 2 0

This mid- tower case bring an innovating design, manufactured with rolled steel, black interior and exterior, and the internal structure offers maximum performance and management. With side panel with Crystal/Mesh window and front port USB 3.0 high speed.

FULL GAMING
ENTHUSIAST
STYLISH

- FRONT PORTS -

USB 3.0

HD AUDIO

2X120mm BLUE LED FAN

REMOVABLE HDD BAYS

MESH DESIGN

REMOVABLE DUST FILTER

CRYSTAL MESH

PUERTO USB 3.0

USB3.0

465mm / 18.30"

270mm VGA Clearance

190mm / 7.48"

485mm / 19.09"

COMMON FEATURES FOR HALCON AND HALCON II:

HDD TRAYS ALUMINUM

PLASTIC BRACKET

VGA LOCKS

SENTEY®

NEO GS - 6040 ZR1

This mid-tower case brings an innovating design with mesh front panel, manufactured with rolled steel, black interior and exterior, and the internal structure offers maximum performance and management. Adding to the versatility of the front port for connecting USB 3.0 full speed and Peripherals last generation with 5 coolers including achieve optimal internal temperature in the case.

FULL GAMING
ENTHUSIAST
STYLISH

- FRONT PORTS -

USB 3.0 | HD AUDIO | 5 FAN COOLERS | REMOVABLE HDD BAYS

PUERTO USB 3.0
USB 3.0

440mm / 17.32"
190mm / 7.48"
485mm / 19.09"

NEO GS - 6040 ZR2

This mid-tower case brings an innovating design with mesh front panel, manufactured with rolled steel, black interior and exterior, and the internal structure offers maximum performance and management. Adding to the versatility of the front port for connecting USB 3.0 full speed and Peripherals last generation with 6 coolers including achieve optimal internal temperature in the case.

FULL GAMING
ENTHUSIAST
STYLISH

- FRONT PORTS -

USB 3.0 | HD AUDIO | 6 FAN COOLERS | REMOVABLE HDD BAYS

CRYSTAL MESH | PUERTO USB 3.0
USB 3.0

440mm / 17.32"
190mm / 7.48"
485mm / 19.09"

COMMON FEATURES FOR NEO ZR1, NEO ZR2, GALAXY VR1 AND GALAXY VR2

HDD TRAYS ALUMINUM | PLASTIC BRACKET | VGA LOCKS

SENTEY®

GALAXY GS-6030 VR1

This mid-tower case has an innovative design with the front and top mesh panel, made of rolled steel materials, interior and exterior with black sandy termination. Adding to the versatility of the front port for connecting USB 3.0 full speed and Peripherals last generation with 5 coolers including achieve optimal internal temperature in the case.

FULL GAMING
ENTHUSIAST
STYLISH

- FRONT PORTS -

USB 3.0

HD AUDIO

5 FAN COOLERS

FAN CONTROL

REMOVABLE HDD BAYS

PUERTO USB 3.0
USB 3.0

190mm / 7.48"

440mm / 17.32"

340mm VGA clearance

485mm / 19.09"

GALAXY GS-6030 VR2

This mid-tower case has an innovative design with the front and top mesh panel, made of rolled steel materials, interior and exterior with black sandy termination. Adding to the versatility of the front port for connecting USB 3.0 full speed and Peripherals last generation with 6 coolers including achieve optimal internal temperature in the case

FULL GAMING
ENTHUSIAST
STYLISH

- FRONT PORTS -

USB 3.0

HD AUDIO

6 FAN COOLERS

FAN CONTROL

REMOVABLE HDD BAYS

CRYSTAL MESH

PUERTO USB 3.0
USB 3.0

190mm / 7.48"

440mm / 17.32"

340mm VGA clearance

485mm / 19.09"

GAMING SERIES

SENTEY®

COBRA GS - 6 0 1 0

This mid- tower case has an innovative design with front mesh panel, manufactured with rolled steel, black interior and exterior, and the internal structure offers maximum performance and management with 120mm cooler included.

FULL GAMING

ENTHUSIAST

STYLISH

- FRONT PORTS -

REMOVABLE DUST FILTER

USB 2.0 4 PORTS

HD AUDIO

SSD DRIVE SUPPORT

120mm FAN COOLER

HANDY SCREW

MESH DESIGN

520mm / 20.47"

214mm / 8.42"

550mm / 21.65"

270mm VGA clearance

COBRA PLUS GS - 6 0 1 0

This mid- tower case brings an innovating design with mesh front panel, manufactured with rolled steel, black interior and exterior, and the internal structure offers maximum performance and management. Adding to the versatility of the front port for connecting USB 3.0 full speed and Peripherals last generation with 2 coolers including achieve optimal internal temperature in the case.

FULL GAMING

ENTHUSIAST

STYLISH

- FRONT PORTS -

2 x 120mm BLUE LED FAN

USB 3.0

HD AUDIO

SSD DRIVE SUPPORT

HANDY SCREW

MESH DESIGN

CRYSTAL MESH

PUERTO USB 3.0

USB 3.0

440mm / 17.32"

180mm / 7.08"

440mm / 17.32"

270mm VGA clearance

FEATURES FOR PANTHER

PLASTIC BRACKET

SENTEY ®

CENTINELA GS - 6100

FULL GAMING
ENTHUSIAST
STYLISH

New Sentey Centinela is ready to support our computer's maximum performance. Not only does it include an extreme ventilation system containing 4 Fan Coolers, but also supports nine 5.25" bays which make the entire system highly versatile. A remarkable 230mm blue LED fan stands out on one of its side panels, as well as a completely black internal structure featuring unique resistance.

- PORT SIDE -

| USB 2.0 4 PORTS | MESH DESIGN | 4 FAN COOLERS | REMOVABLE RACK FOR HDD |

300mm VGA clearance
1100w
460mm / 18.110"
205mm / 8.07"   500mm / 19.68"

VULCANO GS - 6300

FULL GAMING
ENTHUSIAST
STYLISH

Sentey Vulcano is a case designed to support maximum performance, with an acrylic window and 5 fan coolers, out of which four are lightened and one has a three speed temperature control. Especially designed for Gaming, its impressive performance and high versatility turn it into a perfect case to be used both as an office server or a highly demanding work station.

- TOP PORTS -

| USB 2.0 3 PORTS | MESH DESIGN | 5 FAN COOLERS | USB 2.0 3 PORTS | E-SATA PORT | SIDE PANEL WITH WINDOWS |

300mm VGA clearance
1100w
545mm / 21.45"
205mm / 8.07"   500mm / 19.68"

CYCLONE GS - 7000

FULL GAMING
ENTHUSIAST
STYLISH

State of the art ventilation system: SENTEY CYCLONE has been developed to provide an extreme cooling performance. It features 8 Fan Coolers –three of them are to ensure proper air flow inwards, while the remaining three are to remove the hot air produced by different components of the system.

- TOP PORTS -

| USB 3.0 | E-SATA PORT | SSD DRIVE SUPPORT | REMOVABLE DUST FILTER |

| REMOVABLE HDD BAYS | 7 FAN COOLERS | E-ATX SUPPORT | PUERTO USB 3.0 USB 3.0 |

340mm VGA clearance
1100w
549mm / 21.61"
254mm / 10"   590mm / 23.22"

AVAILABLE IN: ● GS-7000   ● GS-6500R

FEATURES FOR CYCLONE   **COMMON FEATURES FOR CENTINELA AND VULCANO**

DISC TRAY HOT SWAP   EXTENDED ATX   REMOVABLE RACK FOR HDD

SENTEY®

CASES

CLASSIC SERIES

CS1-1398 PLUS

Sentey Case CS1-1398 Plus is not only fitted with the best interior in the market, but it is equipped with USB 3.0 frontal port, support SSD drive, watercooling ready and provides a top quality finish, with sandy black exterior paint and Dual TAC 2.0 with filters.

- FRONT PORTS -

USB 3.0

120mm REAR FAN COOLERS

DOBLE TAC 2.0

REMOVABLE DUST FILTER

WATERCOOLING READY

SSD DRIVE SUPPORT

PUERTO USB 3.0

USB 3.0

180mm / 7.08"

415mm / 16.339"

415mm / 16.339"

320mm

CS1-1399 PLUS

Sentey Case CS1-1399 Plus is not only fitted with the best interior in the market, but it is equipped with USB 3.0 frontal port & SD/MMC card reader, support SSD drive, watercooling ready and provides a top quality finish, with sandy black exterior paint and Dual TAC 2.0 with filters.

- FRONT PORTS -

USB 3.0

120mm REAR FAN COOLERS

DOBLE TAC 2.0

SSD DRIVE SUPPORT

REMOVABLE DUST FILTER

WATERCOOLING READY

CARD READER SD/MMC

PUERTO USB 3.0

USB 3.0

180mm / 7.08"

415mm / 16.339"

415mm / 16.339"

320mm

COMMON FEATURES FOR CS1-1398 PLUS, CS1-1399 PLUS, CS1-1410 PLUS AND CS1-1420 PLUS

BAYS SSD 2.5 "

120mm REAR FAN

PREPARED FOR WATERCOOLING

SENTEY®

CS1-1410 PLUS

Sentey Case CS1-1410 Plus is not only fitted with the best interior in the market, but it is equipped with USB 3.0 frontal port, support SSD drive, watercooling ready and provides a top quality finish, with sandy black exterior paint and Dual TAC 2.0 with filters.

- FRONT PORTS -

USB 3.0

120mm REAR FAN COOLERS

DOBLE TAC 2.0

REMOVABLE DUST FILTER

WATERCOOLING READY

SSD DRIVE SUPPORT

PUERTO USB 3.0
USB 3.0

415mm / 16.339"

180mm / 7.08"

320mm VGA Clearance

415mm / 16.339"

CS1-1420 PLUS

Sentey Case CS1-1420 Plus is not only fitted with the best interior in the market, but it is equipped with USB 3.0 frontal port & SD/MMC card reader, support SSD drive, watercooling ready and provides a top quality finish, with sandy black exterior paint and Dual TAC 2.0 with filters.

- FRONT PORTS -

USB 3.0

120mm REAR FAN COOLERS

DOBLE TAC 2.0

REMOVABLE DUST FILTER

WATERCOOLING READY

SSD DRIVE SUPPORT

PUERTO USB 3.0
USB 3.0

415mm / 16.339"

180mm / 7.08"

320mm VGA Clearance

415mm / 16.339"

COMMON FEATURES FOR BURTON, BURTON PLUS, ARVINA AND ARVINA PLUS:

HOLDING UP DISK HDD / SSD

PLASTIC BRACKETS FOR ODD

LOCKS FOR VIDEO CARDS

SENTEY®

CS1-1397

Sentey Case CS1-1397 is not only fitted with the best interior in the market, but it is equipped with four USB 2.0 frontal ports, and provides a top quality finish, with gloss black exterior paint.

- FRONT PORTS -

USB 2.0 4 PORTS

80mm BLACK FAN

AIR DUCT 125mm

BLACK SANDY BLACK PAINTING

PSU BCP500-XS INCLUDED

410mm / 16.14"

180mm / 7.08"

415mm / 16.339"

CS1-1398

Sentey case CS1-1398 is not only fitted with thebest interior in the market, but also provides a top quality finish.

- FRONT PORTS -

USB 2.0 2 PORTS

80mm BLACK FAN

AIR DUCT 125mm

BLACK SANDY BLACK PAINTING

BCP450-OC

PSU BCP450-OC INCLUDED

410mm / 16.14"

180mm / 7.08"

415mm / 16.339"

COMMON FEATURES FOR 1397-CS1, CS1 AND CS1-1398-1399

POWER CONNECTION

MANUAL SCREW

BAY HDD VERTICAL

SENTEY®

CS1-1399

Sentey case CS1-1399 is not only fitted with the best interior in the market, but it is equipped with two USB 2.0 frontal ports, SD / MMC card reader, and provides a top quality finish, with gloss black exterior paint.

- FRONT PORTS -

2 PUERTOS USB 2.0

2 X 80mm FAN NEGRO

BLACK — **PINTURA SANDY BLACK**

LECTOR DE MEMORIA SD/MMC

BCP450-OC — **PSU BCP450-OC INCLUDED**

410mm / 16.14"

180mm / 7.08"

380mm / 14.96"

CS1-1410 TAC2.0

Sentey case CS1-1410 TAC 2.0 is not only fitted with the best interior in the market, but also provides a top quality finish.

- FRONT PORTS -

USB 2.0 2 PORTS

120mm SIDE FAN COOLERS

SIDE PANEL TAC 2.0

410mm / 16.14"

180mm / 7.08"

415mm / 16.339"

FEATURES FOR TAC CS1-1410 2.0

CONNECTORS

MANUAL SCREW

BOTTOM VIEW

CS1-1420 TAC 2.0

Sentey case CS1-1420 TAC 2.0 is not only fitted with the best interior in the market, but also provides a top quality finish.

- FRONT PORTS -

| USB 2.0 2 PORTS | 120mm SIDE FAN COOLERS | SIDE PANEL TAC 2.0 | CARD READER SD/MMC |

410mm / 16.14"

180mm / 7.08"   415mm / 16.33"

CS3-1355

Sentey case CS3-1355 is not only fitted with the best interior in the market, but it provides a top quality finish as well as 4 USB 2.0 frontal ports (floppy disk or card reader).

- FRONT PORTS -

| USB 2.0 4 PORTS | 2 X 80mm BLACK FAN |

PSU BCP450-OC INCLUDED

520mm / 20.47"

214mm / 8.42"   550mm / 21.65"

COMMON FEATURES FOR CS1-1420 AND TAC 2.0

CONNECTORS   MANUAL SCREW   BOTTOM VIEW

CS3-1361

Sentey case CS3-1361 is not only fitted with the best interior in the market, but provides a top quality finish as well as 4 USB 2.0 frontal ports.

- FRONT PORTS -

USB 2.0 4 PORTS

2 X 80mm BLACK FAN

PSU BCP450-OS INCLUDED

BCP450-OS

430mm / 16.92"

180mm / 7.08"

435mm / 17.12"

CS3-3310

The Sentey CS3-3310 Case incorporates the best internal structure design, a high quality finish, 4 USB 2.0 front ports, SD/MMC memory card reader, and a lateral tac 2.0 panel.

- FRONT PORTS -

USB 2.0 2 PORTS

120mm REAR BLACK FAN COOLERS

SIDE PANEL TAC 2.0

CARD READER SD/MMC

HD AUDIO & MIC

440mm / 17.32"

180mm / 7.08"

465mm / 18.30"

COMMON FEATURES FOR CS3-1355 AND CS3-1361

CONNECTORS

HDD BAY FRONT

2 X 80mm BLACK FAN

SENTEY ®

CS3-3320

The Sentey CS3-3320 Case incorporates the best internal structure design, a high quality finish, 4 USB 2.0 front ports, SD/MMC memory card reader, and a lateral tac 2.0 panel.

- FRONT PORTS -

USB 2.0 2 PORTS
120mm REAR BLACK FAN COOLERS
SIDE PANEL TAC 2.0
CARD READER SD/MMC
HD AUDIO & MIC

440mm / 17.32"
180mm / 7.08"
465mm / 18.30"

CS3-3330

The Sentey CS3-3330 Case incorporates the best internal structure design, a high quality finish, 4 USB 2.0 front ports, SD/MMC memory card reader, and a lateral tac 2.0 panel.

- FRONT PORTS -

USB 2.0 2 PORTS
120mm REAR BLACK FAN COOLERS
SIDE PANEL TAC 2.0
CARD READER SD/MMC
HD AUDIO & MIC
MESH DESIGN

440mm / 17.32"
180mm / 7.08"
465mm / 18.30"

COMMON FEATURES FOR CS3-3310, CS3-3320, CS3-3330 AND CS3-3340

HDD BAY FRONT

POSITION FOR POWER SUPLY

SIDE PANEL 2.0

SENTEY®

The Sentey CS3-3340 Case incorporates the best internal structure design, a high quality finish, 3 USB 2.0 front ports, e-SATA port, and a lateral tca 2.0 panel.

- FRONT PORTS -

**USB 2.0
3 PORTS**

**120mm REAR BLACK
FAN COOLERS**

**SIDE PANEL
TAC 2.0**

**E-SATA
PORT**

**HD AUDIO
& MIC**

**MESH
DESIGN**

440mm / 17.32"

180mm / 7.08"

465mm / 18.30"

CLASSIC SERIES

SENTEY ®

CASES

SENTEY®

DS1-4234

Sentey case DS1-4234 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, automatic controller and self-adjustment for an 80 mm side fan, and gloss black exterior paint.

- FRONT PORTS -

2 x 120mm BLACK FAN

2 x 80mm BLACK FAN

USB 2.0 2 PORTS

DISPLAY LCD COLOR

PSU BCP600-OS INCLUDED

425mm / 16.73"

190mm / 7.48"

485mm / 19,09"

DS1-4237

Sentey case DS1-4237 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, automatic controller and self-adjustment for an 80 mm side fan, and gloss black exterior paint.

- FRONT PORTS -

2 x 120mm BLACK FAN

2 x 80mm BLACK FAN

USB 2.0 2 PORTS

DISPLAY LCD COLOR

FAN CONTROL

PSU BCP600-OS INCLUDED

425mm / 16.73"

190mm / 7.48"

485mm / 19.09"

COMMON FEATURES FOR DS1-4234, DS1-4237, DS1-4243 AND DS1-4246

2 GRILL & FILTER

80mm SIDE FAN COOLER

120mm REAR FAN COOLER

SENTEY®

DS1-4243

Sentey case DS1-4243 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, self-adjustment for an 80 mm side fan, and gloss black exterior paint

- FRONT PORTS -

2 x 120mm BLACK FAN

2 x 80mm BLACK FAN

USB 2.0 4 PORTS

DISPLAY LCD COLOR

PSU BCP600-OS INCLUDED

425mm / 16.73"

190mm / 7.48"

485mm / 19.08"

DS1-4246

Sentey DS1-4246 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, automatic controller and self-adjustment for an 80 mm side fan, and gloss black exterior paint.

- FRONT PORTS -

2 x 120mm BLACK FAN

2 x 80mm BLACK FAN

USB 2.0 2 PORTS

DISPLAY LCD COLOR

PSU BCP600-OS INCLUDED

425mm / 16.73"

190mm / 7.48"

485mm / 19.08"

DELUXE SERIES

SENTEY®

DS1-4275

Sentey DS1-4275 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, card reader incorporated, automatic controller and self-adjustment for an 80 mm side fan, and gloss black exterior paint.

- FRONT PORTS -

2 x 120mm BLACK FAN

2 x 80mm BLACK FAN

USB 2.0 2 PORTS

DISPLAY LCD COLOR

8 EN 1 CARD READER

PSU BCP600-OS INCLUDED

425mm / 16.73"

190mm / 7.48"

485mm / 19,09"

FEATURES FOR DS1-4275

2 GRILL & FILTER

80mm SIDE FAN COOLER

120mm REAR FAN COOLER

SENTEY®

CASES

SLIM SERIES

SS1-2420

Sentey case SS1-2420 is not only fitted with the best interior in the market, but it provides a top quality finish, as well as Micro ATX motherboard and Pci Low Profile support

- FRONT PORTS -

80mm TOP BLACK FAN

USB 2.0 2 PORTS

E-ATX SUPPORT

PSU BCP450-OM INCLUDED

325mm / 12.79"

104mm / 4.09"

435mm / 17.12"

SS1-2421

Sentey case SS1-2421 is not only fitted with the best interior in the market, but it providesa top quality finish, a LCD display to check the internal temperature of the case, top fan presetable automatic start-up, as well as Micro ATX motherboard and Pci Low Profile support

- FRONT PORTS -

80mm TOP BLACK FAN

USB 2.0 2 PORTS

E-ATX SUPPORT

DISPLAY LCD COLOR

PSU BCP450-OM INCLUDED

325mm / 12.79"

104mm / 4.09"

435mm / 17.12"

COMMON FEATURES FOR SS1-2420, SS1-2422 AND SS1-2423

COOLING FOR POWER UPLY

PLASTIC SUPPORT

COOLER FAN 80mm

SENTEY®

SS1-2422

Sentey case SS1-2422 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, top fan presetable automatic start-up, as well as Micro ATX motherboard and Pci Low Profile support.

- FRONT PORTS -

80mm TOP BLACK FAN

USB 2.0 2 PORTS

E-ATX SUPPORT

DISPLAY LCD COLOR

PSU BCP450-OM INCLUDED

325mm / 12.79"

104mm / 4.09"

435mm / 17.12"

SS2-2220

Sentey case SS2-2220 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, self-adjustment for a 120mm side fan, and high gloss exterior paint.

- FRONT PORTS -

120mm SIDE FAN COOLERS

USB 2.0 2 PORTS

DISPLAY LCD COLOR

FAN CONTROL

PSU BCP450-OS INCLUDED

360mm / 14.17"

140mm / 5.51"

445mm / 17.51"

FEATURES FOR SS2-2220

MANUAL SCREW

BOTTOM VENTILATION

CONNECTORS

SENTEY®

SS5-2514

The new Sentey case SS5-2514 incorporates the best internal structure, with a high quality finish to support Mini ITX motherboard.

- FRONT PORTS -

60mm FAN COOLER SLIM

USB 2.0 2 PORTS

E-ATX SUPPORT

AUDIO & MIC

BLACK
SANDY BLACK PAINTING

PSU BCP450-OI INCLUDED

285mm / 11.22"

85mm / 3.34"

240mm / 9.44"

FEATURES FOR SS5-2514

SIDE FAN

TOP FAN

60mm TOP COOLER

SENTEY®

CASES

PROFESSIONAL SERIES

SENTEY®

PS2-3268

Sentey case PS2-3268 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, and self-adjustment for an 80mm fan cooler.

- FRONT PORTS -

2 X 80mm BLACK FAN

USB 2.0 2 PORTS

DISPLAY LCD COLOR

SANDY BLACK PAINTING

PSU BCP450-OS INCLUDED

190mm / 7.48"

425mm / 16.73"

485mm / 19,09"

PS2-3270

Sentey case PS2-3270 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, self-adjustment for an 80mm side fan, and the versatility to connect 4 USB devices.

- FRONT PORTS -

2 X 80mm BLACK FAN

USB 2.0 4 PORTS

DISPLAY LCD COLOR

SANDY BLACK PAINTING

PSU BCP450-OS INCLUDED

190mm / 7.48"

425mm / 16.73"

485mm / 19.09"

COMMON FEATURES FOR PS2-3268, PS2-3270, PS2-3271 AND PS2-3272

2 GRILL & FILTER

80mm SIDE FAN COOLER

PLASTIC CLAMPS ODD

SENTEY®

PS2-3271

Sentey PS2-3271 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, self-adjustment for an 80 mm side fan, and the versatility to connect 2 USB devices

- FRONT PORTS -

2 X 80mm BLACK FAN

USB 2.0 2 PORTS

DISPLAY LCD COLOR

SANDY BLACK PAINTING

PSU BCP450-OS INCLUDED

425mm / 16.73"

190mm / 7.48"

485mm / 19.08"

PS2-3272

Sentey PS2-3272 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, self-adjustment for a 80 mm side fan, and gloss black exterior paint.

- FRONT PORTS -

2 X 80mm BLACK FAN

USB 2.0 2 PORTS

DISPLAY LCD COLOR

SANDY BLACK PAINTING

FAN CONTROL

PSU BCP450-OS INCLUDED

425mm / 16.73"

190mm / 7.48"

485mm / 19.08"

PROFESSIONAL SERIES

SENTEY®

POWER SUPLY

SENTEY®

EXTREME ROCK MODULAR POWER

Sentey Extreme Rock Power Modular Series power supplies display a solid and efficient design to provide excellent performance with increased stability and efficiency before highly demanding systems, with state-of-the-art multi-core microprocessors.

+12V SINGLE STRONG RAIL

FULL PROTECTION

MODULAR POWER

MODULAR FLAT CABLES

GREATER EFFICIENCY **78%**

INTELLIGENT FAN SPEED CONTROL

115V/230V AC INPUT

3 AÑOS GARANTÍA

AVAILABLE IN: 750W (ERP750-PM) / 650W (ERP650-PM) 550W (ERP550-PM)

EXTREME ROCK POWER STANDARD

Sentey Extreme Rock Power SS Series power supplies include multiple 12V rails to ensure excellent performance with graphic cards. Besides, they have an ultra-silent Fan automatically controlled by internal unit temperature.

+12V SINGLE STRONG RAIL

FULL PROTECTION

GREATER EFFICIENCY **78%**

INTELLIGENT FAN SPEED CONTROL

3 AÑOS GARANTÍA

AVAILABLE IN: 750W (ERP750-PS) / 650W (ERP650-PS) 550W (ERP550-PS)

FUENTES

SENTEY®

ESSENTIAL STANDARD

The Essential Plus Power Series operates at ultra high efficiency, at 20%, 50%, and 100% loads, efficiencies are 82%, 85%, and 82% respectively. - Compliance with ATX 12V v2.3, EPS 12V v2.92 Specifications. - Universal AC Input from 110V~240V. - Active Power Factor Corrector. (APFC) - Support for all the latest INTEL and AMD CPUs.

+12V
SINGLE STRONG RAIL

FULL PROTECTION

APFC
ACTIVE PFC

2 BALL BEARING

UNIVERSAL AC INPUT

AVAILABLE IN: 750W (EPP750-PS) / 650W (EPP650-PS) 550W (EPP550-PS)

SOLID POWER

Sentey SOLID POWER PSU is designed with a Hybrid LLC Resonant topology to ensure maximum performance and stability, even when used in high-demand systems with microprocessors and next-generation graphics boards.

+12V
SINGLE STRONG RAIL

FULL PROTECTION

GREATER EFFICIENCY 78%

INTELLIGENT FAN SPEED CONTROL

AVAILABLE IN: 850W (SDP850-SS) / 750W (SDP750-SS) 650W (SDP650-SS) / 550W (SDP550-SS)

FUENTES

SOLID CORE POWER MODULAR

The Solid Core Power Supplies were designed to provide the highest performance, stability, and dependability for the last generation microprocessor and video board systems. They operate with a high efficiency and they are 80 Plus Certified, which ensures a typical efficiency above 80%.

80 PLUS

5 AÑOS GARANTÍA

+12V SINGLE STRONG RAIL

FULL PROTECTION

MODULAR POWER

MODULAR FLAT CABLES

APFC ACTIVE PFC

2 BALL BEARING

115V/230V AC INPUT

AVAILABLE IN: 850W (SCP850-HM) / 750W (SCP750-HM) 650W (SCP650-HM) / 550W (SCP550-HM)

SOLID CORE POWER STANDARD

The Solid Core Power Supplies were designed to provide the highest performance, stability, and dependability for the last generation microprocessor and video board systems. They operate with a high efficiency and they are 80 Plus Certified, which ensures a typical efficiency above 80%.

80 PLUS

5 AÑOS GARANTÍA

+12V SINGLE STRONG RAIL

FULL PROTECTION

APFC ACTIVE PFC

2 BALL BEARING

UNIVERSAL AC INPUT

AVAILABLE IN: 850W (SCP850-HS) / 750W (SCP750-HS) 650W (SCP650-HS) / 550W (SCP550-HS)

ACCESSORIES FOR POWER SUPLY SCP-HM, SCP-HS, ERP-PM AND ERP-PS

AC POWER CORD

MOUNTING SCREW

MANUAL AND WARRANTY

SENTEY®

GOLDEN STEEL POWER GSP - SM

Sentey GOLDEN STEEL POWER is designed with a Hybrid LLC Resonant Topology providing the highest performance, stability and performance on systems with microprocessors and next-generation graphics card. It has an ultra-quiet fan with double ball bearing which has a direct impact on the prolongation of the life of the source.

+12V SINGLE STRONG RAIL

FULL PROTECTION

MODULAR POWER

JAPANESE CAPACITORS

MODULAR FLAT CABLES

APFC ACTIVE PFC

2 BALL BEARING

UNIVERSAL AC INPUT

80 PLUS GOLD

7 AÑOS GARANTÍA

AVAILABLE IN: 1000W (GSP1000-SM) / 850W (GSP850-SM)
750W (GSP750-SM) / 650W (GSP650-SM)

HARD BLUE POWER HBP - SM

Sentey Hard Blue Power Series power supplies have been designed with the latest technology in order to provide the highest performance as to ensure maximum stability and efficiency, even when used in extremely demanding systems, with multi-core microprocessors or high-end graphic cards.

+12V SINGLE STRONG RAIL

FULL PROTECTION

MODULAR POWER

UNIVERSAL AC INPUT

MODULAR FLAT CABLES

PFC ACTIVE

2 BALL BEARING

80 PLUS BRONZE

80 PLUS

5 AÑOS GARANTÍA

AVAILABLE IN: 1100W (HBP1100-SM) / 900W (HBP900-SM)
7000W (HBP700-SM) / 500W (HBP500)-SM

FUENTES

SENTEY®

METAL BLADE POWER MODULAR

The Metal Blade Power supplies were designed to provide the highest performance, stability, and dependability for the last generation microprocessor and video board systems. They operate with a high efficiency and they are 80 Plus Bronze Certified, which ensures a typical efficiency above 85%.

80 PLUS BRONZE

5 AÑOS GARANTÍA

- **+12V** SINGLE STRONG RAIL
- **FULL PROTECTION**
- **MODULAR POWER**
- **MODULAR FLAT CABLES**
- **APFC** ACTIVE PFC
- **2 BALL BEARING**
- **UNIVERSAL AC INPUT**

AVAILABLE IN: 1000W (MBP1000-HM) / 850W (MBP850-HM) 750W (MBP750-HM) / 650W (MBP650-HM) / 550W (MBP550-HM)

SOLID CORE POWER STANDARD

The Solid Core Power Supplies were designed to provide the highest performance, stability, and dependability for the last generation microprocessor and video board systems. They operate with a high efficiency and they are 80 Plus Certified, which ensures a typical efficiency above 80%.

80 PLUS BRONZE

5 AÑOS GARANTÍA

- **+12V** SINGLE STRONG RAIL
- **FULL PROTECTION**
- **APFC** ACTIVE PFC
- **2 BALL BEARING**
- **UNIVERSAL AC INPUT**

AVAILABLE IN: 850W (MBP850-HS) / 750W (MBP750-HS) 650W (MBP650-HS) / 550W (MBP550-HS)

ACCESSORIES FOR POWER SUPLY MBP-HM, MBP-HS, EPP-PS AND HBP-SM

| AC POWER CORD | MOUNTING SCREW | MANUAL AND WARRANTY |

SENTEY®

PLATINUM POWER LTP - SM

Experience the supremacy of Sentey Platinum Power Series power supplies. They are 80Plus Platinum Certified with a 92% efficiency in all four models: 550, 750, 850 and 1000 Watts of continuous power. The Sentey Platinum Power is the right choice for those seeking high levels of efficiency and performance. Leaving behind what we already know and joining a new generation of high-performance power supplies.

80 PLUS PLATINUM

7 AÑOS GARANTÍA

+12V SINGLE STRONG RAIL **FULL PROTECTION** **MODULAR POWER** **JAPANESE CAPACITORS**

MODULAR FLAT CABLES **APFC ACTIVE PFC** **2 BALL BEARING** **UNIVERSAL AC INPUT**

AVAILABLE IN: 1000W (LTP1000-SM) / 850W (LTP850-SM) 750W (LTP750) / 550W (LTP550)

SILVER POWER SVP 1 6 0 0 - HM

This new power supply has up to 1600W in power and an 80Plus Silver certification. The new Silver Power has a hybrid modular design, an efficiency of 88%, and comes equipped with a 135mm fan with automatic control and a turbo button which turns the fan up to its maximum speed.

LED INDICADOR DE ESTADO

LED Status Indicator
Standby   Operation   Non-Operation

Turbo Fan Controller
Auto Fan Control
Max Fan Speed

CONTROLADOR DE TURBO FAN

+12V SINGLE STRONG RAIL **FULL PROTECTION** **MODULAR POWER** **JAPANESE CAPACITORS**

MODULAR FLAT CABLES **APFC ACTIVE PFC** **2 BALL BEARING** **UNIVERSAL AC INPUT**

80 PLUS SILVER

7 AÑOS GARANTÍA

ACCESSORIES FOR POWER SUPLY LTP-SM, SVP-HM, GSP-SM AND HBP-SM

AC POWER CORD

MOUNTING SCREW

MANUAL AND WARRANTY

SENTEY®

BRP POWER

The Sentey BRP Power Series power supplies poses a solid construction that guarantee optimal operation with indiscernible levels of noise. With a power efficiency greater than 70%, the power supply constitutes the base for a correctly functioning and highly stable system.

700W

BRP SERIES 700
700W

2 AÑOS
GARANTÍA

+12V
SINGLE STRONG RAIL

FULL PROTECTION

APFC
ACTIVE PFC

2 BALL BEARING

UNIVERSAL AC INPUT

AVAILABLE IN: 750W (ERP750-PM) / 650W (ERP650-PM)
550W (ERP550-PM)

ACCESSORIES FOR POWER SUPLY BRP

ELECTROLYTIC CAPACITORS CAPXON

FAN WITH FORMAT HONEYCOMB

BLACK SLEEVE BEARING FAN 140mm

SENTEY ®

ACCESSORIES

GAMMITUS GS-3500

DPI RESOLUTION IN	UNTIL 3200 DPI (4 LEVELS CONFIGURAB)
SENSOR	PIXART PAW-3305
RATE POLL	FREQUENCY TO 1000HZ
FRAME RATE	3600 FPS
SCROLL	SHIFT 2 SHOOTING 3D
TRACK SPEED	130 INCHES / SEC
ACCELERATION	30G
BUTTONS	3 BUTTONS + 1 (DPI SWITCH
PADS	PTFE FEET LOW FRICTION
INTERFACE	USB 2.0
LONG CABLE	1.8 MTS TWISTED HEAVY DUTY
CONNECTORS	USB WITH GOLD PLATED
SURFACE	BLACK SOFT MATE
DIMENSIONS	125 X 68 X 38.5MM
WEIGHT	105 GRS
WARRANTY	1 YEAR
OPERATING SYSTEMS	R WINDOWS 7 VISTA AND XP

NEBULUS GS-3510

DPI RESOLUTION IN	UNTIL 8200 DPI (4 LEVELS CONFIGURAB)
SENSOR	PIXART PAW-3305
RATE POLL	FREQUENCY TO 500HZ
FRAME RATE	3600 FPS
SCROLL	SHIFT 2 SHOOTING 3D
TRACK SPEED	130 INCHES / SEC
ACCELERATION	30G
BUTTONS	5 BUTTON + 1 (DPI SWITCH
PADS	PTFE FEET LOW FRICTION
INTERFACE	USB 2.0
LONG CABLE	1.8 MTS TWISTED HEAVY DUTY
CONNECTORS	USB WITH GOLD PLATED
SURFACE	BLACK SOFT MATE
DIMENSIONS	123 X 70 X 38MM (4.84 "X 2.75" X 1.49 ")
WEIGHT	170 GRS
WARRANTY	1 YEAR
OPERATING SYSTEMS	WINDOWS R 7 R VISTA, XP AND MAC OS X

MOUSES

SENTEY®

APHELION GS - 3 5 2 0

PROFESSIONAL
ELITE
EXTREME

DPI RESOLUTION IN	UNTIL 3200 DPI (4 LEVELS CONFIGURAB)
SENSOR	PIXART PAW-3606
RATE POLL	FREQUENCY TO 1000HZ
FRAME RATE	12,000 FPS
SCROLL	SHIFT 2 SHOOTING 3D
TRACK SPEED	30 INCHES / SEC
ACCELERATION	9G
BUTTONS	7 PINS + 1 (7 PROGRAMMABLE)
PADS	TE TEFLON FEET
LIGHTING	LED WHEEL LEVEL INDICATES DPI
INTERFACE	USB 2.0
LONG CABLE	1.8 MTS TWISTED HEAVY DUTY
CONNECTORS	USB WITH GOLD PLATED
SURFACE	BLACK SOFT MATE
DIMENSIONS	125 X 79 X 43MM
WEIGHT	170 GRS
WARRANTY	1 YEAR
OPERATING SYSTEMS	WINDOWS 7, VISTA, XP MAC OS X

LUMENATA PRO G S - 3 9 0 0

PROFESSIONAL
EXTREME
ELITE

DPI RESOLUTION IN	UNTIL 8200 DPI (4 LEVELS CONFIGURAB)
SENSOR	AVAGO ADNS-9800
RATE POLL	FREQUENCY TO 1000HZ
FRAME RATE	12,000 FPS
SCROLL	4-WAY SCROLLING 4D
TRACK SPEED	150 INCHES / SEC
ACCELERATION	30G
BUTTONS	9 +2 BUTTONS (9 PROGRAMMABLE MACRO)
PADS	TE TEFLON FEET
LIGHTING	5 COLOURS OF LEDS (FOR DIFFERENT PEFILES)
INTERFACE	USB 2.0
LONG CABLE	1.8 MTS TWISTED HEAVY DUTY
CONNECTORS	USB WITH GOLD PLATED
SURFACE	BLACK SOFT RUBBER MATE
DIMENSIONS	124.5 X 77.6 X 41.8MM
WEIGHT	170 GRS
WARRANTY	1 YEAR
OPERATING SYSTEMS	WINDOWS 7, VISTA, XP AND MAC OS X

M O U S E S

SENTEY®

WHIRLWIND GS-3320

PROFESSIONAL
ELITE
EXTREME

DPI RESOLUTION IN	UNTIL 3200 DPI (4 LEVELS CONFIGURAB)
SENSOR	PIXART PAW-3305
RATE POLL	FREQUENCY TO 1000HZ
FRAME RATE	3600 FPS
SCROLL	SHIFT 2 SHOOTING 3D
TRACK SPEED	68 INCHES / SEC
ACCELERATION	20G
BUTTONS	5 BUTTON + 1 (4 PROGRAMMABLE)
PADS	TEFLON FEET
LIGHTING	LED WHEEL LEVEL INDICATED IN DPI
INTERFACE	USB 2.0
LONG CABLE	1.8 MTS TWISTED HEAVY DUTY
CONNECTORS	USB WITH GOLD PLATED
SURFACE	BLACK SOFT MATE
DIMENSIONS	125 X 73 X 43MM
WEIGHT	150 GRS
WARRANTY	1 YEAR
OPERATING SYSTEMS	R WINDOWS 7 VISTA AND XP

APOCALYPSEX GS-3340

PROFESSIONAL
ELITE
EXTREME

DPI RESOLUTION IN	UNTIL 3200 DPI (4 LEVELS CONFIGURAB)
SENSOR	PIXART PAW-3305
RATE POLL	FREQUENCY TO 1000HZ
FRAME RATE	3600 FPS
SCROLL	SHIFT 2 SHOOTING 3D
TRACK SPEED	68 INCHES / SEC
ACCELERATION	20G
BUTTONS	5 BUTTON + 1 (4 PROGRAMMABLE)
PADS	TEFLON FEET
LIGHTING	LED WHEEL LEVEL INDICATED IN DPI
INTERFACE	USB 2.0
LONG CABLE	1.8 MTS TWISTED HEAVY DUTY
CONNECTORS	USB WITH GOLD PLATED
SURFACE	BLACK SOFT MATE
DIMENSIONS	125 X 72 X 43MM (4.92 "X 2.83" X 1.69 ")
WEIGHT	150 GRS
WARRANTY	1 YEAR
OPERATING SYSTEMS	WINDOWS R 7 R VISTA, XP AND MAC OS X

MOUSES

SENTEY®

REVOLUTION PRO GS - 3 9 1 0

PROFESSIONAL
EXTREME
ELITE

DPI RESOLUTION IN	TO 8200DPI (4 LEVELS CONFIGURAB)
SENSOR	AVAGO ADNS-9800
RATE POLL	FREQUENCY HZ 1000
FRAME RATE	11,750 FPS
SCROLL	4 MODES DESPLAZAMIENT O 4D
TRACK SPEED	150 INCHES / SEC
ACCELERATION	30G
BUTTONS	9 BUTTONS (7 BLES PROGRAM)
PADS	CERAMI FEET CA
LIGHTING	COLORS 26 LED MODE AND NO LIGHT
INTERFACE	USB 2.0
LONG CABLE	1.8 MTS HIGH TWISTED RESISTE NCIA
CONNECTORS	PL BATH WITH USB ATA
SURFACE	RUBBER BLACK SOFT M ATE
DIMENSIONS	126 X 84 X 42MM
WEIGHT	170G (MAS 6 WEIGHT OF EACH 4.9G)
WARRANTY	1 YEAR
OPERATING SYSTEMS	WINDOWS 7, VISTA, XP AND MAC OS X

CYPH3R GS - 5 7 1 0

PROFESSIONAL
ELITE
EXTREME

KEY SWITCH TYPE	SILICA GEL
N-KEY REINVERION	6 KEY ROLLOVER
KEYSTROKES	50 MILLION TIMES
KEY STRENGTH	POWER DRIVE 50G
NUMBER KEYS	PROVISIONS 119 N US
INTERNAL STORAGE	128K OF MEMORY
KEY MACRO	9 PROGRAMMABLE MACRO KEYS
	(NO NEED SOFTWARE)
MULTIMEDIA KEYS	VOLUME CONTROL, PROGRAMMABLE KEY, KEY LOCK
	WINDOWS
INTERFACE	USB 2.0
LONG CABLE	TWISTED 1.80 METERS HIGH STRENGTH
CONNECTOR	USB WITH GOLD PLATED
SURFACE	BLACK SOFT MATE
DIMENSIONS	48.99 X 21.69 X 3.22CM
WEIGHT	930G
WARRANTY	1 YEAR
OPERATING SYSTEMS	WINDOWS ® 7, VISTA ® AND XP ®

M O U S E S / T E C L A D O S

SENTEY®

PHOENIX GS - 5 7 0 0

PROFESSIONAL

ELITE

EXTREME

KEY SWITCH TYPE	SILICA GEL
N-KEY REINVERION	8 KEY ROLLOVER
KEYSTROKES	50 MILLION TIMES
KEY STRENGTH	POWER DRIVE 50G
NUMBER KEYS	PROVISIONS 114 N US
INTERNAL STORAGE	128K OF MEMORY
BRIGHT LIGHT BACKGROUND	3 LEVELS WITH BRIGHT BLUE LED
KEY MACRO	7 PROGRAMMABLE KEYS (BY SOFTWARE)
PROFILES	3 DIFFERENT PROFILES
FUNCTION KEYS	PROFILES, BACKLIGHT, LOCK KEY WIN
INTERFACE	USB 2.0
LONG CABLE	TWISTED 1.80M HIGH STRENGTH
CONNECTOR	USB WITH GOLD PLATED
SURFACE	BLACK SOFT MATE
DIMENSIONS	2.85 X 48.5 X 16.2 CM
WEIGHT	663.5G
WARRANTY	1 YEAR
OPERATING SYSTEMS	WINDOWS ® 7, VISTA ®, XP ® AND MAC OS X

GHO5T GS - 5 9 0 0

PROFESSIONAL

ELITE

EXTREME

KEY SWITCH TYPE	BLACK CHERRY MX
KEYSTROKES	50 MILLION TIMES
KEY STRENGTH	POWER DRIVE 60G
NUMBER KEYS	PROVISIONS 104 N U
INTERFACE	USB 2.0
LONG CABLE	1.80 METERS HIGH STRENGTH
CONNECTOR	USB WITH GOLD PLATED
SURFACE	BLACK SOFT MATE
DIMENSIONS	44.45 X 14.48 X 2.54 CM
WEIGHT	1.27G
WARRANTY	2 YEAR
OPERATING SYSTEMS	WINDOWS ® 7, VISTA ® AND XP ®

T E C L A D O S

SENTEY®

COBALT PRO GS - 5 9 1 0

PROFESSIONAL
EXTREME
ELITE

KEY SWITCH TYPE	BLACK CHERRY MX
N-KEY REINVERION	FULL VIA PS / 2, 6 VIA USB
KEYSTROKES	50 MILLION TIMES
KEY STRENGTH	POWER DRIVE 45G
NUMBER KEYS	PROVISIONS 104 N US
INTERNAL STORAGE	128K OF MEMORY
BACKLIGHT	INDIVIDUAL BLUE LED P / C BUTTON (4 LEVELS)
KEY MACRO	10 PROGRAMMABLE KEYS (BY SOFTWARE)
MULTIMEDIA KEYS	CONTROL VOL, PLAY / PAUSE, SIG. HEAD
AUDIO AND USB HUB	2 USB PORTS HIGH SPEED + MIC / AUDIO
INTERFACE	USB 2.0
LONG CABLE	TWISTED 1.80 METERS HIGH STRENGTH
CONNECTOR	USB WITH GOLD AND BATH 3.5 MM
SURFACE	BLACK SOFT MATE
DIMENSIONS	44.45X 14.48 X 2.54 CM
WEIGHT	1.27G
WARRANTY	2 YEARS
OPERATING SYSTEMS	WINDOWS ® 7, VISTA ®, XP ® AND MAC OS X

CRIMSON PRO GS - 5 9 2 0

PROFESSIONAL
EXTREME
ELITE

KEY SWITCH TYPE	BLACK CHERRY MX
N-KEY REINVERION	FULL VIA PS / 2, 6 VIA USB
KEYSTROKES	50 MILLION TIMES
KEY STRENGTH	POWER DRIVE 45G
NUMBER KEYS	PROVISIONS 104 N US
INTERNAL STORAGE	128K OF MEMORY
BACKLIGHT	INDIVIDUAL RED LED P / C BUTTON (4 LEVELS)
KEY MACRO	10 PROGRAMMABLE KEYS (BY SOFTWARE)
MULTIMEDIA KEYS	CONTROL VOL, PLAY / PAUSE, SIG. HEAD
AUDIO AND USB HUB	2 USB PORTS HIGH SPEED + MIC / AUDIO
INTERFACE	USB 2.0
LONG CABLE	TWISTED 1.80 METERS HIGH STRENGTH
CONNECTOR	USB WITH GOLD AND BATH 3.5 MM
SURFACE	BLACK SOFT MATE
DIMENSIONS	44.45X 14.48 X 2.54 CM
WEIGHT	1.27G
WARRANTY	2 YEARS
OPERATING SYSTEMS	WINDOWS ® 7, VISTA ®, XP ® AND MAC OS X

TECLADOS

SENTEY®

SYMPH GS - 4 5 3 0

PROFESSIONAL
ELITE
EXTREME

BUG	DIMENSIONS MICROPHONE	Ø 6.0 X 5.0MM	
	SENSITIVITY	-38DB±DB	
	DIRECTIVITY	UNIDIRECTIONAL	
	IMPEDANCE	2,2 K Ω	
SPEAKERS	SURROUND SOUND 7.1 VIRTUAL	LEFT	RIGHT
	DIAMETER	Ø40MM	Ø40MM
	IMPEDANCE	32 Ω	32 Ω
	FREQUENCY RESPONSE	15–25KHZ	15–25KHZ
	OUTPUT	200MW	200MW
	SIGNAL TO NOISE RATE	>50DB	>50DB
	T.H.D.	1%	1%
	SENSITIVITY (S.P.L.)	98DB±3DB	98DB±3DB
CABLE	3 METRE CABLE ULTRA-F LE RED LEXIB		
CONNECTOR	USB 2.0 BATH WITH GOLD		
CABLE TYPE	BLACK SOFT MATE		
SIZE	250 X 230 X 105MM		
WEIGHT	304G		
WARRANTY	1 YEAR		
OS	WINDOWS® 7, VISTA® Y XP®		

VIBROS GS - 4 5 4 0

PROFESSIONAL
ELITE
EXTREME

BUG	DIMENSIONS MICROPHONE	Ø 6.0 X 2.8MM	
	SENSITIVITY	-36DB±3DB	
	DIRECTIVITY	OMNIDIRECTIONAL	
	IMPEDANCE	2,2 K Ω	
SPEAKERS	SURROUND SOUND 7.1 VIRTUAL	LEFT	RIGHT
	DIAMETER	Ø40MM	Ø40MM
	IMPEDANCE	32 Ω	32 Ω
	FREQUENCY RESPONSE	20–20KHZ	20–20KHZ
	OUTPUT	200MW	200MW
	SIGNAL TO NOISE RATE	>50DB	>50DB
	T.H.D.	1%	1%
	SENSITIVITY (S.P.L.)	96DB±3DB	96DB±3DB
CABLE	3 METRE CABLE ULTRA-FLEXIBLE RED		
CONNECTOR	USB 2.0 BATH WITH GOLD		
CABLE TYPE	BLACK SOFT MATE		
SIZE	250 X 230 X 105MM		
WEIGHT	304G		
WARRANTY	1 YEAR		
OS	WINDOWS® 7, VISTA® , XP® AND MAC OS X		

A U R I C U L A R E S

SENTEY®

SONIC BOOM GS - 4 5 5 0

BUG	DIMENSIONS MICROPHONE	Ø 6.0 X 2.8MM	
	SENSITIVITY	-36DB±3DB	
	DIRECTIVITY	OMNIDIRECCTONAL	
	IMPEDANCE	2,2 K Ω	
SPEAKERS	SURROUND SOUND 7.1 VIRTUAL	LEFT	RIGHT
	DIAMETER	Ø40MM	Ø40MM
	IMPEDANCE	32 Ω	32 Ω
	FREQUENCY RESPONSE	20–20KHZ	20–20KHZ
	OUTPUT	200MW	200MW
	SIGNAL TO NOISE RATE	>50DB	>50DB
	T.H.D.	1%	1%
	SENSITIVITY (S.P.L.)	102DB±3DB	102DB±3DB
CABLE	3 METRE CABLE ULTRA-FLEXIBLE RED		
CONNECTOR	USB 2.0 BATH WITH GOLD		
CABLE TYPE	BLACK SOFT MATE		
SIZE	250 X 230 X 105MM		
WEIGHT	308G		
WARRANTY	1 YEAR		
OS	WINDOWS® 7, VISTA® , XP® AND MAC OS X		

HARMONIQ PRO GS - 4 8 4 0

BUG	DIMENSIONS MICROPHONE	Ø 6.0 X 5MM			
	SENSITIVITY	-36DB±DB			
	DIRECTIVITY	UNIDIRECTIONAL			
	IMPEDANCE	2,2 K Ω			
SPEAKERS	5.1 SURROUND	FRONT	REAR	CENTER	SUBWOOFER
	DIAMETER	Ø30MM	Ø40MM	Ø30MM	Ø27MM
	IMPEDANCE	32 Ω	32 Ω	32 Ω	8 Ω
	FREQUENCY RESPONSE	20–20KHZ	18–20KHZ	20–20KHZ	10–400KHZ
	POWER OUTPUT	200MW	400MW	200MW	600MW
	RATE NOISE A SIGNAL	>50DB	>50DB	>50DB	>50DB
	DIAMETER	0.4%	0.1%	0.4%	1%
	SENSITIVITY (S.P.L.)	108DB	100DB	108DB	
CABLE	TWISTED WIRE INDUSTRY THAN 1 .8 L METERS				
CONNECTOR	USB WITH BATH AND GOLD 3.5MM				
CABLE TYPE	BLACK SOFT MATE				
SIZE	44.45 X 14.48 X 2.54CM				
WEIGHT	1.27 KG				
WARRANTY	2 YEARS				
OS	WINDOWS® 7, VISTA® , XP® AND MA C OS X				

AURICULARES

SENTEY®

WARHEADX GS-4310

PROFESSIONAL
ELITE
EXTEME

BUG	DIMENSIONS MICROPHONE	Ø 6.0 X 5.0MM	
	SENSITIVITY	-38DB±DB	
	DIRECTIVITY	OMNIDIRECTIONAL	
	IMPEDANCE	2,2 K Ω	
SPEAKERS	SURROUND SOUND 7.1 VIRTUAL	LEFT	RIGHT
	DIAMETER	Ø40MM	Ø40MM
	IMPEDANCE	32 Ω	32 Ω
	FREQUENCY RESPONSE	20–20KHZ	20–20KHZ
	OUTPUT	200MW	200MW
	SIGNAL TO NOISE RATE	>50DB	>50DB
	T.H.D.	1%	1%
	SENSITIVITY (S.P.L.)	103DB±3DB	103DB±3DB
CABLE	3 METRE CABLE ULTRA-FLEXIBLE RED		
CONNECTOR	BATHROOM D E 3.5MM GOLD		
CABLE TYPE	BLACK SOFT MATE		
SIZE	250 X 230 X 105MM		
WEIGHT	160G		
WARRANTY	1 YEAR		
OS	WINDOWS® 7, VISTA® , XP®		

REVERBX GS-4340

PROFESSIONAL
ELITE
EXTEME

BUG	DIMENSIONS MICROPHONE	Ø 6.0 X 2.8MM	
	SENSITIVITY	-36DB±3DB	
	DIRECTIVITY	OMNIDIRECTIONAL	
	IMPEDANCE	2,2 K Ω	
SPEAKERS	SURROUND SOUND 7.1 VIRTUAL	LEFT	RIGHT
	DIAMETER	Ø40MM	Ø40MM
	IMPEDANCE	32 Ω	32 Ω
	FREQUENCY RESPONSE	20–20KHZ	20–20KHZ
	OUTPUT	200MW	200MW
	SIGNAL TO NOISE RATE	>50DB	>50DB
	T.H.D.	1%	1%
	SENSITIVITY (S.P.L.)	102DB±3DB	102DB±3DB
CABLE	3 METRE CABLE ULTRA-FLEXIBLE RED		
CONNECTOR	BATHROOM D E 3.5MM GOLD		
CABLE TYPE	BLACK SOFT MATE		
SIZE	250 X 230 X 105MM		
WEIGHT	249G		
WARRANTY	1 YEAR		
OS	WINDOWS® 7, VISTA® , XP®		

AURICULARES

SENTEY®

INFERNO GS-2200

PROFESSIONAL
ELITE
EXTREME

2mm

● SPEED UP	● COMFORT
● TECHNOLOGY	● SLIP BASE

TOP SURFACE	100% POLYESTER
BOTTOM LAYER	NATURAL RUBBER ECO FRIENDLY
EDGE STYLE	STANDARD
SLIP	YES
LEVEL OF FRICTION	AVERAGE
WARRANTY	1 YEAR

225mm

285mm

KAIROS GS-2800

PROFESSIONAL
ELITE
PROFESSIONAL

2mm

● SPEED UP	● COMFORT
● TECHNOLOGY	● SLIP BASE

TOP SURFACE	HARD PLASTIC (PVC)
BOTTOM LAYER	NATURAL RUBBER ECO FRIENDLY
SLIP	YES
LEVEL OF FRICTION	AVERAGE
WARRANTY	1 YEAR

254mm

310mm

MOUSEPADS

SENTEY®

ORIGINS

PROFESSIONAL
ELITE
EXTREME

3 mm

275 mm

345 mm

● SPEED UP	● COMFORT
● TECHNOLOGY	● SLIP BASE

MULTIPLE SIZES, DIFFERENT WEIGHTS

GS-2300 (LG) 400MM X 317MM X 003MM, APPROXIMATELY 294 G / 0.65 LBS

GS-2301 (MM) 345MM X 275MM X 003MM, APPROXIMATELY 202 G / 0.45 LBS

GS-2302 (SM) 285MM X 225MM X 003MM, APPROXIMATELY 110 G / 0.24 LBS

GS-2303 (XM) 225MM X 178MM X 003MM, APPROXIMATELY 166 G / 0.37 LBS

TOP SURFACE	100% POLYESTER
BOTTOM LAYER	NATURAL RUBBER ECO FRIENDLY
EDGE STYLE	OVERLOCK
SLIP	YES
LEVEL OF FRICTION	AVERAGE
WARRANTY	1 YEAR

PSYCHED

PROFESSIONAL
ELITE
EXTREME

4 mm

317 mm

400 mm

● SPEED UP	● COMFORT
● TECHNOLOGY	● SLIP BASE

MULTIPLE SIZES, DIFFERENT WEIGHTS

GS-2310 (LG) 400MM X 317MM X 004MM, APPROXIMATELY 304 G / 0.67 LBS

GS-2311 (MM) 345MM X 275MM X 004MM, APPROXIMATELY 212 G / 0.47 LBS

GS-2312 (XM) 285MM X 225MM X 004MM, APPROXIMATELY 120 G / 0.26 LBS

TOP SURFACE	100% POLYESTER
BOTTOM LAYER	NATURAL RUBBER ECO FRIENDLY
EDGE STYLE	OVERLOCK
SLIP	YES
LEVEL OF FRICTION	AVERAGE
WARRANTY	1 YEAR

MOUSEPADS

SENTEY®

NOIR

ELITE

EXTREME

● SPEED UP	● COMFORT
● TECHNOLOGY	● SLIP BASE
TOP SURFACE	100% POLYESTER
BOTTOM LAYER	NATURAL RUBBER ECO FRIENDLY
EDGE STYLE	OVERLOCK
SLIP	YES
LEVEL OF FRICTION	AVERAGE
WARRANTY	1 YEAR

MULTIPLE SIZES, DIFFERENT WEIGHTS

NOIR (LG) 400MM X 317MM X 003MM, APPROXIMATELY 294 G / 0.65 LBS

NOIR (MM) 345MM X 275MM X 003MM, APPROXIMATELY 202 G / 0.45 LBS

NOIR (SM) 285MM X 225MM X 003MM, APPROXIMATELY 110 G / 0.24 LBS

NOIR (XM) 225MM X 178MM X 003MM, APPROXIMATELY 166 G / 0.37 LBS

ROOTED GS-2330

PROFESSIONAL

ELITE

EXTREME

● SPEED UP	● COMFORT
● TECHNOLOGY	● SLIP BASE
TOP SURFACE	100% POLYESTER
BOTTOM LAYER	NATURAL RUBBER ECO FRIENDLY
EDGE STYLE	OVERLOCK
SLIP	YES
LEVEL OF FRICTION	AVERAGE
WARRANTY	1 YEAR

SINERGY GS-2320

PROFESSIONAL

ELITE

EXTREME

● SPEED UP	● COMFORT
● TECHNOLOGY	● SLIP BASE
TOP SURFACE	100% POLYESTER
BOTTOM LAYER	NATURAL RUBBER ECO FRIENDLY
EDGE STYLE	OVERLOCK
SLIP	YES
LEVEL OF FRICTION	AVERAGE
WARRANTY	1 YEAR

MOUSEPADS

SENTEY®

WWW.SENTEY.COM

SENTEY®