

DELUXE SERIES 1



SENTEY CASES DELUXE SERIES 1

SENTEY.COM

FEATURES

DS1-4234



DS1-4237



DS1-4243



➤ Sentey case DS1-4234 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, automatic controller and self-adjustment for an 80 mm side fan, and gloss black exterior paint.

- SUPPORT MOTHERBOARDS ATX / MICRO ATX
 - ATX (305 mm x 244 mm)
 - Micro ATX (244 mm x 244 mm)
- DISPLAY LCD COLOR
 - Internal Temperature Sensor: Ranges between 20° and 80°
 - Automatic start-up control for the rear Fan1 cooler, depending on the case temperature.
 - Temperature Alert: Presetable, with alarm beep.
 - HDD reader
 - Time and Alarm
- PERIPHERAL BAYS
 - 4 bays 3.5" (HDD)
 - 1 bay 3.5" (floppy, or card reader)
 - 4 bay 5.25" (optical unit)
- POWER LED BUTTON
- 2 USB 2.0 FRONTAL PORTS
- FRONT AUDIO AND MIC PORTS
- FAN ADJUSTMENT THROUGH FRONT POTENTIOMETER

- POWER SUPPLY BCP600-0S
 - Connector 20 + 4 Pin Motherboard x 1
 - Connector 4+4 Pin CPU 12v x 1
 - Connector 2 x 3 Pin PCI-E + 12V x 1
 - Sata Connector x 2
 - Molex Connector x 6
 - Floppy disk Connector x 1
 - Cable with protection mesh

- Chassis Dimensions: 450 mm x 190 mm x 425 mm
- Packaging Dimensions: 480 mm x 240 mm x 540 mm

- Interior Cooler: 2 x 80 mm side+ 1 x 120 mm front + 1 x 120 mm rear

- 20-feet Container: 450 pieces
- 40 HQ Container: 1100 pieces
- Gross weight 4,9 kg / Net weight 5,8 kg

➤ Sentey case DS1-4237 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, automatic controller and self-adjustment for an 80 mm side fan, and gloss black exterior paint.

- SUPPORT MOTHERBOARDS ATX / MICRO ATX
 - ATX (305 mm x 244 mm)
 - Micro ATX (244 mm x 244 mm)
- DISPLAY LCD COLOR
 - Internal Temperature Sensor: Ranges between 20° and 80°
 - Automatic start-up control for the rear Fan1 cooler, depending on the case temperature.
 - Temperature Alert: Presetable, with alarm beep.
 - HDD reader
 - Time and Alarm
- PERIPHERAL BAYS
 - 4 bays 3.5" (HDD)
 - 1 bay 3.5" (floppy, or card reader)
 - 4 bay 5.25" (optical unit)
- POWER LED BUTTON
- 2 USB 2.0 FRONTAL PORTS
- FRONT AUDIO AND MIC PORTS
- FAN ADJUSTMENT THROUGH FRONT POTENTIOMETER

- POWER SUPPLY BCP600-0S
 - Connector 20 + 4 Pin Motherboard x 1
 - Connector 4+4 Pin CPU 12v x 1
 - Connector 2 x 3 Pin PCI-E + 12V x 1
 - Sata Connector x 2
 - Molex Connector x 6
 - Floppy disk Connector x 1
 - Cable with protection mesh

- Chassis Dimensions: 450 mm x 190 mm x 425 mm
- Packaging Dimensions: 480 mm x 240 mm x 540 mm

- Interior Cooler: 2 x 80 mm side+ 1 x 120 mm front + 1 x 120 mm rear

- 20-feet Container: 450 pieces
- 40 HQ Container: 1100 pieces
- Gross weight 4,9 kg / Net weight 5,8 kg

➤ Sentey case DS1-4243 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, self-adjustment for an 80 mm side fan, and gloss black exterior paint.

- SUPPORT MOTHERBOARDS ATX / MICRO ATX
 - ATX (305 mm x 244 mm)
 - Micro ATX (244 mm x 244 mm)
- DISPLAY LCD COLOR
 - Internal Temperature Sensor: Ranges between 20° and 80°
 - Automatic start-up control for the rear Fan1 cooler, depending on the case temperature.
 - Temperature Alert: Presetable, with alarm beep.
 - HDD reader
 - Time and Alarm
- PERIPHERAL BAYS
 - 4 bays 3.5" (HDD)
 - 1 bay 3.5" (floppy, or card reader)
 - 4 bay 5.25" (optical unit)
- POWER LED BUTTON
- 4 USB 2.0 FRONTAL PORTS
- FRONT AUDIO AND MIC PORTS

- POWER SUPPLY BCP600-0S
 - Connector 20 + 4 Pin Motherboard x 1
 - Connector 4+4 Pin CPU 12v x 1
 - Connector 2 x 3 Pin PCI-E + 12V x 1
 - Sata Connector x 2
 - Molex Connector x 6
 - Floppy disk Connector x 1
 - Cable with protection mesh

- Chassis Dimensions: 450 mm x 190 mm x 425 mm
- Packaging Dimensions: 480 mm x 240 mm x 540 mm

- Interior Cooler: 2 x 80 mm side+ 1 x 120 mm front + 1 x 120 mm rear

- 20-feet Container: 450 pieces
- 40 HQ Container: 1100 pieces
- Gross weight 4,9 kg / Net weight 5,8 kg

SENTEY CASES DELUXE SERIES 1

SENTEY.COM

FEATURES

DS1-4234



DS1-4237



DS1-4243



DS1-4234

Embedded PSU BCP600-0S



DS1-4237

Embedded PSU BCP600-0S



DS1-4243

Embedded PSU BCP600-0S



DS1-4234

Front panel LCD



DS1-4237

Front panel LCD



DS1-4243

Front panel LCD



DS1-4234

2 USB 2.0 front port - Audio & Mic



DS1-4237

2 USB 2.0 front port - Audio & Mic



DS1-4243

4 USB 2.0 front port - Audio & Mic



New packaging design
DS1-4234



New packaging design
DS1-4237



New packaging design
DS1-4243

SENTEY CASES DELUXE SERIES 1

SENTEY.COM

FEATURES

DS-4246



DS-4275



DS-4280



El Gabinete Sentey DS1-4246 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, automatic controller and self-adjustment for an 80 mm side fan, and gloss black exterior paint.

- SUPPORT MOTHERBOARDS ATX / MICRO ATX
 - ATX (305 mm x 244 mm)
 - Micro ATX (244 mm x 244 mm)
- DISPLAY LCD COLOR
 - Internal Temperature Sensor: Ranges between 20° and 80°
 - Automatic start-up control for the rear Fan1 cooler, depending on the case temperature.
 - Temperature Alert: Presetable, with alarm beep.
- PERIPHERAL BAYS
 - 4 bays 3.5" (HDD)
 - 1 bay 3.5" (floppy, or card reader)
 - 4 bay 5.25" (optical unit)
- POWER LED BUTTON
- 2 USB 2.0 FRONTAL PORTS
- FRONT AUDIO AND MIC PORTS

- POWER SUPPLY BCP600-OS
 - Connector 20 + 4 Pin Motherboard x 1
 - Connector 4+4 Pin CPU 12v x 1
 - Connector 2 x 3 Pin PCI-E + 12V x 1
 - SATA Connector x 2
 - Molex Connector x 6
 - Floppy disk Connector x 1
 - Cable with protection mesh

- Chassis Dimensions: 450 mm x 190 mm x 425 mm
- Packaging Dimensions: 480 mm x 240 mm x 540 mm

- Interior Cooler: 2 x 80 mm side+ 1 x 120 mm front + 1 x 120 mm rear

- 20-feet Container: 450 pieces
- 40 HQ Container: 1100 pieces
- Gross weight 4,9 kg / Net weight 5,8 kg

El Gabinete Sentey DS1-4275 is not only fitted with the best interior in the market, but it provides a top quality finish, a LCD display to check the internal temperature of the case, card reader incorporated, automatic controller and self-adjustment for an 80 mm side fan, and gloss black exterior paint.

- SUPPORT MOTHERBOARDS ATX / MICRO ATX
 - ATX (305 mm x 244 mm)
 - Micro ATX (244 mm x 244 mm)
- DISPLAY LCD COLOR
 - Internal Temperature Sensor: Ranges between 20° and 80°
 - Automatic start-up control for the rear Fan1 cooler, depending on the case temperature.
 - Temperature Alert: Presetable, with alarm beep.
- PERIPHERAL BAYS
 - 4 bays 3.5" (HDD)
 - 1 bay 3.5" (floppy, or card reader)
 - 4 bay 5.25" (optical unit)
- POWER LED BUTTON
- 2 USB 2.0 FRONTAL PORTS
- FRONT AUDIO AND MIC PORTS

- POWER SUPPLY BCP600-OS
 - Connector 20 + 4 Pin Motherboard x 1
 - Connector 4+4 Pin CPU 12v x 1
 - Connector 2 x 3 Pin PCI-E + 12V x 1
 - SATA Connector x 2
 - Molex Connector x 6
 - Floppy disk Connector x 1
 - Cable with protection mesh

- Chassis Dimensions: 450 mm x 190 mm x 425 mm
- Packaging Dimensions: 480 mm x 240 mm x 540 mm

- Interior Cooler: 2 x 80 mm side+ 1 x 120 mm front + 1 x 120 mm rear

- 20-feet Container: 450 pieces
- 40 HQ Container: 1100 pieces
- Gross weight 4,9 kg / Net weight 5,8 kg

is not only fitted with the best interior in the market, self-adjustment for an 80 mm side fan, and gloss black exterior paint

- SUPPORT MOTHERBOARDS ATX / MICRO ATX
 - ATX (305 mm x 244 mm)
 - Micro ATX (244 mm x 244 mm)
- PERIPHERAL BAYS
 - 4 bays 3.5" (HDD)
 - 1 bay 3.5" (floppy, or card reader)
 - 4 bay 5.25" (optical unit)
- POWER LED BUTTON
- 2 USB 2.0 FRONTAL PORTS
- FRONT AUDIO AND MIC PORTS

- POWER SUPPLY BCP600-OS
 - Connector 20 + 4 Pin Motherboard x 1
 - Connector 4+4 Pin CPU 12v x 1
 - Connector 2 x 3 Pin PCI-E + 12V x 1
 - SATA Connector x 2
 - Molex Connector x 6
 - Floppy disk Connector x 1
 - Cable with protection mesh

- Chassis Dimensions: 450 mm x 190 mm x 425 mm
- Packaging Dimensions: 480 mm x 240 mm x 540 mm

- Interior Cooler: 2 x 80 mm side+ 1 x 120 mm front + 1 x 120 mm rear

- 20-feet Container: 450 pieces
- 40 HQ Container: 1100 pieces
- Gross weight 4,9 kg / Net weight 5,8 kg

SENTEY CASES DELUXE SERIES 1

SENTEY.COM

FEATURES

DS1-4246



DS1-4275



DS1-4280



DS1-4246

Embedded PSU BCP600-OS



DS1-4275

Embedded PSU BCP600-OS



DS1-4280

Embedded PSU BCP600-OS



DS1-4246

Frontal Panel LCD



DS1-4275

Frontal Panel LCD



DS1-4280

2 USB 2.0 front ports - Audio & Mic




DS1-4246

2 USB 2.0 front ports - Audio & Mic



DS1-4275

Front card reader



DS1-4280

LED button power & reset



New packaging design
DS1-4246



New packaging design
DS1-4275



New packaging design
DS1-4280

SENTEY CASES DELUXE SERIES 1

SENTEY.COM

FEATURES


REAR VIEW



INTERNAL VIEW



Power supply connection




2 Grill & Filter



Side Fan cooler 80 mm



Rear Fan Cooler 120 mm



Connectors



Plastic clamps / ODD

DS1-4234
DS1-4237
DS1-4243

DS1-4246
DS1-4275
DS1-4280